


H-CLAD™ Technical Sheet


Hendrick's H-CLAD is a standardized cladding and mounting system that has been tested and proven to offer practical and functional benefits:

- ✓ Aluminum panel thickness of .125" or .190"
- ✓ Standard panel widths of 36", 42" or 48"
- ✓ Standard panel lengths of 72", 96" or 120"
- ✓ 12 standard round perforated patterns with open areas ranging from 23% to 77%
- ✓ Designed to withstand sustained winds up to 165 mph (Category 5)
- ✓ Multiple finish options offered to ensure the highest quality finish for your project
- ✓ Finish warranty options are available up to 20 years
- ✓ Concealed fastener panel system design
- ✓ All hardware supplied is solid stainless steel


Mounting Options...



H-CLAD HD



H-CLAD MD



H-CLAD LD

Ideal for...

- Parking Garages
- Larger Cantilevers
- Larger spans between mounting brackets
- Office buildings and over windows
- Minimal Cantilevers
- Medium spans between mounting brackets
- Back lighting friendly
- Slim design
- Interior or solid wall applications
- No cantilevers
- Minimal spans between mounting
- Minimal offset from the building


H-CLAD™ Span Chart

Select the hole pattern and panel size that best fits your application.

Perf Diameter (IN)	Center Spacing (IN)	Pattern Orientation	% Open Area	0.125" Aluminum			0.190" Aluminum		
				30 PSF (IN)	50 PSF (IN)	70 PSF (IN)	30 PSF (IN)	50 PSF (IN)	70 PSF (IN)
0.250	0.500	Staggered	22.7	48	36	-	48	48	48
0.375	0.625	Staggered	32.6	42	36	-	48	48	48
0.375	0.750	Staggered	22.7	48	36	-	48	48	48
0.500	0.750	Staggered	40.3	42	-	-	48	48	42
0.500	1.000	Staggered	22.7	48	36	-	48	48	48
0.750	1.000	Staggered	51.0	36	-	-	48	42	36
0.750	1.250	Staggered	32.6	42	36	-	48	48	48
1.000	1.250	Staggered	58.0	36	-	-	48	42	36
1.000	2.000	Staggered	22.7	48	36	-	48	48	48
1.500	1.750	Staggered	66.6	-	-	-	48	42	36
2.000	2.250	Staggered	71.7	-	-	-	48	42	36
3.000	3.250	Staggered	77.3	-	-	-	48	42	36

Standard Panel Widths (IN)		
36	42	48

Standard Panel Lengths (IN)		
72	96	120



Please contact Hendrick for any custom pattern or panel size requirements.